Outstanding Care, Compassionate People, Healthier Communities



Direct Line: 01623 672232

Our Ref: 55

E-mail: sfh-tr.foi.requests@nhs.net

King's Mill Hospital Mansfield Road Sutton in Ashfield Nottinghamshire NG17 4JL

Tel: 01623 622515 Join today: www.sfh-tr.nhs.uk

11th September 2024

Dear Sir/Madam

Freedom of Information Act (FOI) 2000 - Request for Information Reference: Hospital Systems

I am writing in response to your request for information under the FOI 2000.

I can confirm in accordance with Section 1 (1) of the Freedom of Information Act 2000 that we do hold some of the information you have requested. A response to each part of your request is provided below.







| 1. Is the Trust HIMMS accredited? If so, what level of accreditation has been achieved? 2. Does the organisation have an existing Electronic Patient Record (EPR) system? If yes, please provide details of the EPR product, including the provider and product name? 3. When is the renewal date for the current EPR system? 4. Does the Trust have a solution in place to automatically send patient data from medical devices to the main Hospital Information System / EPR? 5. Is there a single interoperability platform for all medical devices that automatically sends data to the main hospital information system? 6. If yes to question 5, who is the supplier and what is the name of the product? 7. If yes to question 5, when does the current contract end? 8. Is the Trust reviewing any projects that require the integration of medical devices with the main hospital information system / EPR? 9. If no to question 5, is the Trust currently evaluating suppliers and product options for medical device interoperability with the main hospital information system (PAS/EPR)? 10. If no to question 5, is the Trust interested in learning about Enovacom's software-only solution and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between software systems hoth internally and externally? | FOI Request / Question | Question Response |
|--|--|-------------------|
| of accreditation has been achieved? 2. Does the organisation have an existing Electronic Patient Record (EPR) system? If yes, please provide details of the EPR product, including the provider and product name? 3. When is the renewal date for the current EPR system? 4. Does the Trust have a solution in place to automatically send patient data from medical devices to the main Hospital Information System / EPR? 5. Is there a single interoperability platform for all medical devices that automatically sends data to the main hospital information system? 6. If yes to question 5, who is the supplier and what is the name of the product? 7. If yes to question 5, when does the current contract end? 8. Is the Trust reviewing any projects that require the integration of medical devices with the main hospital information system / EPR? 9. If no to question 5, is the Trust currently evaluating suppliers and product options for medical device interoperability with the main hospital information system (PAS/EPR)? 10. If no to question 5, is the Trust interested in learning about Enovacom's software-only solution and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently exchanging data between | | |
| of accreditation has been achieved? 2. Does the organisation have an existing Electronic Patient Record (EPR) system? If yes, please provide details of the EPR product, including the provider and product name? 3. When is the renewal date for the current EPR system? 4. Does the Trust have a solution in place to automatically send patient data from medical devices to the main Hospital Information System / EPR? 5. Is there a single interoperability platform for all medical devices that automatically sends data to the main hospital information system? 6. If yes to question 5, who is the supplier and what is the name of the product? 7. If yes to question 5, when does the current contract end? 8. Is the Trust reviewing any projects that require the integration of medical devices with the main hospital information system / EPR? 9. If no to question 5, is the Trust currently evaluating suppliers and product options for medical device interoperability with the main hospital information system (PAS/EPR)? 10. If no to question 5, is the Trust interested in learning about Enovacom's software-only solution and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | | |
| of accreditation has been achieved? 2. Does the organisation have an existing Electronic Patient Record (EPR) system? If yes, please provide details of the EPR product, including the provider and product name? 3. When is the renewal date for the current EPR system? 4. Does the Trust have a solution in place to automatically send patient data from medical devices to the main Hospital Information System / EPR? 5. Is there a single interoperability platform for all medical devices that automatically sends data to the main hospital information system? 6. If yes to question 5, who is the supplier and what is the name of the product? 7. If yes to question 5, when does the current contract end? 8. Is the Trust reviewing any projects that require the integration of medical devices with the main hospital information system / EPR? 9. If no to question 5, is the Trust currently evaluating suppliers and product options for medical device interoperability with the main hospital information system (PAS/EPR)? 10. If no to question 5, is the Trust interested in learning about Enovacom's software-only solution and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently exchanging data between | A la the Trust HIMMO according to 10 K according to 10 K | NI |
| 2. Does the organisation have an existing Electronic Patient Record (EPR) system? If yes, please provide details of the EPR product, including the provider and product name? 3. When is the renewal date for the current EPR system? 4. Does the Trust have a solution in place to automatically send patient data from medical devices to the main Hospital Information System / EPR? 5. Is there a single interoperability platform for all medical devices that automatically sends data to the main hospital information system? 6. If yes to question 5, who is the supplier and what is the name of the product? 7. If yes to question 5, when does the current contract end? 8. Is the Trust reviewing any projects that require the integration of medical devices with the main hospital information system / EPR? 9. If no to question 5, is the Trust currently evaluating suppliers and product options for medical device interoperability with the main hospital information system (PAS/EPR)? 10. If no to question 5, is the Trust interested in learning about Enovacom's software-only solution and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | · | NO. |
| Electronic Patient Record (EPR) system? If yes, please provide details of the EPR product, including the provider and product name? 3. When is the renewal date for the current EPR system? 4. Does the Trust have a solution in place to automatically send patient data from medical devices to the main Hospital Information System / EPR? 5. Is there a single interoperability platform for all medical devices that automatically sends data to the main hospital information system? 6. If yes to question 5, who is the supplier and what is the name of the product? 7. If yes to question 5, who is the current contract end? 8. Is the Trust reviewing any projects that require the integration of medical devices with the main hospital information system / EPR? 9. If no to question 5, is the Trust currently evaluating suppliers and product options for medical device interoperability with the main hospital information system (PAS/EPR)? 10. If no to question 5, is the Trust interested in learning about Enovacom's software-only solution and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | | No |
| including the provider and product name? 3. When is the renewal date for the current EPR system? 4. Does the Trust have a solution in place to automatically send patient data from medical devices to the main Hospital Information System / EPR? 5. Is there a single interoperability platform for all medical devices that automatically sends data to the main hospital information system? 6. If yes to question 5, who is the supplier and what is the name of the product? 7. If yes to question 5, when does the current contract end? 8. Is the Trust reviewing any projects that require the integration of medical devices with the main hospital information system / EPR? 9. If no to question 5, is the Trust currently evaluating suppliers and product options for medical device interoperability with the main hospital information system (PAS/EPR)? 10. If no to question 5, is the Trust interested in learning about Enovacom's software-only solution and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently ave an integration engine for securely exchanging data between | | |
| 3. When is the renewal date for the current EPR system? 4. Does the Trust have a solution in place to automatically send patient data from medical devices to the main Hospital Information System / EPR? 5. Is there a single interoperability platform for all medical devices that automatically sends data to the main hospital information system? 6. If yes to question 5, who is the supplier and what is the name of the product? 7. If yes to question 5, when does the current contract end? 8. Is the Trust reviewing any projects that require the integration of medical devices with the main hospital information system / EPR? 9. If no to question 5, is the Trust currently evaluating suppliers and product options for medical device interoperability with the main hospital information system (PAS/EPR)? 10. If no to question 5, is the Trust interested in learning about Enovacom's software-only solution and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | _ · · · · · · · · · · · · · · · · · · · | |
| system? 4. Does the Trust have a solution in place to automatically send patient data from medical devices to the main Hospital Information System / EPR? 5. Is there a single interoperability platform for all medical devices that automatically sends data to the main hospital information system? 6. If yes to question 5, who is the supplier and what is the name of the product? 7. If yes to question 5, when does the current contract end? 8. Is the Trust reviewing any projects that require the integration of medical devices with the main hospital information system / EPR? 9. If no to question 5, is the Trust currently evaluating suppliers and product options for medical device interoperability with the main hospital information system (PAS/EPR)? 10. If no to question 5, is the Trust interested in learning about Enovacom's software-only solution and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | | NI/A |
| automatically send patient data from medical devices to the main Hospital Information System / EPR? 5. Is there a single interoperability platform for all medical devices that automatically sends data to the main hospital information system? 6. If yes to question 5, who is the supplier and what is the name of the product? 7. If yes to question 5, when does the current contract end? 8. Is the Trust reviewing any projects that require the integration of medical devices with the main hospital information system / EPR? 9. If no to question 5, is the Trust currently evaluating suppliers and product options for medical device interoperability with the main hospital information system (PAS/EPR)? 10. If no to question 5, is the Trust interested in learning about Enovacom's software-only solution and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | | N/A |
| devices to the main Hospital Information System / EPR? 5. Is there a single interoperability platform for all medical devices that automatically sends data to the main hospital information system? 6. If yes to question 5, who is the supplier and what is the name of the product? 7. If yes to question 5, when does the current contract end? 8. Is the Trust reviewing any projects that require the integration of medical devices with the main hospital information system / EPR? 9. If no to question 5, is the Trust currently evaluating suppliers and product options for medical device interoperability with the main hospital information system (PAS/EPR)? 10. If no to question 5, is the Trust interested in learning about Enovacom's software-only solution and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | 4. Does the Trust have a solution in place to | N/A |
| EPR? 5. Is there a single interoperability platform for all medical devices that automatically sends data to the main hospital information system? 6. If yes to question 5, who is the supplier and what is the name of the product? 7. If yes to question 5, when does the current contract end? 8. Is the Trust reviewing any projects that require the integration of medical devices with the main hospital information system / EPR? 9. If no to question 5, is the Trust currently evaluating suppliers and product options for medical device interoperability with the main hospital information system (PAS/EPR)? 10. If no to question 5, is the Trust interested in learning about Enovacom's software-only solution and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | | |
| 5. Is there a single interoperability platform for all medical devices that automatically sends data to the main hospital information system? 6. If yes to question 5, who is the supplier and what is the name of the product? 7. If yes to question 5, when does the current contract end? 8. Is the Trust reviewing any projects that require the integration of medical devices with the main hospital information system / EPR? 9. If no to question 5, is the Trust currently evaluating suppliers and product options for medical device interoperability with the main hospital information system (PAS/EPR)? 10. If no to question 5, is the Trust interested in learning about Enovacom's software-only solution and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | | |
| the main hospital information system? 6. If yes to question 5, who is the supplier and what is the name of the product? 7. If yes to question 5, when does the current contract end? 8. Is the Trust reviewing any projects that require the integration of medical devices with the main hospital information system / EPR? 9. If no to question 5, is the Trust currently evaluating suppliers and product options for medical device interoperability with the main hospital information system (PAS/EPR)? 10. If no to question 5, is the Trust interested in learning about Enovacom's software-only solution and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | 5. Is there a single interoperability platform for all | No. |
| 6. If yes to question 5, who is the supplier and what is the name of the product? 7. If yes to question 5, when does the current contract end? 8. Is the Trust reviewing any projects that require the integration of medical devices with the main hospital information system / EPR? 9. If no to question 5, is the Trust currently evaluating suppliers and product options for medical device interoperability with the main hospital information system (PAS/EPR)? 10. If no to question 5, is the Trust interested in learning about Enovacom's software-only solution and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | | |
| what is the name of the product? 7. If yes to question 5, when does the current contract end? 8. Is the Trust reviewing any projects that require the integration of medical devices with the main hospital information system / EPR? 9. If no to question 5, is the Trust currently evaluating suppliers and product options for medical device interoperability with the main hospital information system (PAS/EPR)? 10. If no to question 5, is the Trust interested in learning about Enovacom's software-only solution and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | | |
| 7. If yes to question 5, when does the current contract end? 8. Is the Trust reviewing any projects that require the integration of medical devices with the main hospital information system / EPR? 9. If no to question 5, is the Trust currently evaluating suppliers and product options for medical device interoperability with the main hospital information system (PAS/EPR)? 10. If no to question 5, is the Trust interested in learning about Enovacom's software-only solution and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | | N/A |
| contract end? 8. Is the Trust reviewing any projects that require the integration of medical devices with the main hospital information system / EPR? 9. If no to question 5, is the Trust currently evaluating suppliers and product options for medical device interoperability with the main hospital information system (PAS/EPR)? 10. If no to question 5, is the Trust interested in learning about Enovacom's software-only solution and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | | N/A |
| the integration of medical devices with the main hospital information system / EPR? 9. If no to question 5, is the Trust currently evaluating suppliers and product options for medical device interoperability with the main hospital information system (PAS/EPR)? 10. If no to question 5, is the Trust interested in learning about Enovacom's software-only solution and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | 1 | IV/A |
| hospital information system / EPR? 9. If no to question 5, is the Trust currently evaluating suppliers and product options for medical device interoperability with the main hospital information system (PAS/EPR)? 10. If no to question 5, is the Trust interested in learning about Enovacom's software-only solution and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | | I |
| 9. If no to question 5, is the Trust currently evaluating suppliers and product options for medical device interoperability with the main hospital information system (PAS/EPR)? 10. If no to question 5, is the Trust interested in learning about Enovacom's software-only solution and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | | • |
| 9. If no to question 5, is the Trust currently evaluating suppliers and product options for medical device interoperability with the main hospital information system (PAS/EPR)? 10. If no to question 5, is the Trust interested in learning about Enovacom's software-only solution and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | hospital information system / EPR? | |
| evaluating suppliers and product options for medical device interoperability with the main hospital information system (PAS/EPR)? 10. If no to question 5, is the Trust interested in learning about Enovacom's software-only solution and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | 9 If no to question 5 is the Trust currently | |
| medical device interoperability with the main hospital information system (PAS/EPR)? 10. If no to question 5, is the Trust interested in learning about Enovacom's software-only solution and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | | 100 |
| 10. If no to question 5, is the Trust interested in learning about Enovacom's software-only solution and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | | |
| learning about Enovacom's software-only solution and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | | |
| and how other NHS customers are adopting our technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | | N/A |
| technology? 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | | |
| 11. Who is the lead person to contact regarding projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | 1 | |
| projects of this nature? Typically, we would connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | | N/A |
| connect with the Chief Clinical Information Officer, Chief Digital Transformation Officer, or EPR Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between | | |
| Programme Director? 12. Does the Trust currently have an integration engine for securely exchanging data between Yes. | 1 | |
| 12. Does the Trust currently have an integration engine for securely exchanging data between | | |
| engine for securely exchanging data between | | W ₂ = |
| | | Yes. |
| | software systems both internally and externally? | |

2









| 13. If yes to question 12, what is the product name? | Rhapsody |
|---|---|
| 14. If yes to question 12, do you intend to change your current integration engine? | No current plans |
| 15. If yes to question 14, when does the contract for your current integration engine end? | Renews annually at present 7/5/2025 |
| 16. If no to question 12, do you intend to purchase an integration engine? | N/A |
| 17. If yes to question 16, when do you plan to purchase it? | N/A |
| 18. Who is the lead person to contact about projects of this nature? Please provide their name, email, and phone number if possible. | Paul Moore, Deputy Chief Digital Information Officer |
| 19. There are three main architecture patterns for delivering a Shared Care Record to share data with the ICS. Please identify the Trust's chosen option: | N/A |
| 20. Does the Trust currently have a data repository for the above requirement if selecting b or c? | N/A |
| 21. If yes, is it FHIR-based? | N/A |
| 22. What is the name of the product? | N/A |
| 23. Who is the supplier? | N/A |
| 24. When is the contract renewal date? | N/A |
| 25. Is the Trust looking to purchase a data repository? | N/A |
| 26. If yes, when does it plan to purchase it? | N/A |
| 27. Who is responsible for sourcing the data repository? (Please provide name, email, and phone number if possible.) | N/A |

3







Outstanding Care, Compassionate People, Healthier Communities



I trust this information answers your request. Should you have any further enquiries or queries about this response please do not hesitate to contact me. However, if you are unhappy with the way in which your request has been handled, you have the right to ask for an internal review. Internal review requests should be submitted within two months of the date of receipt of the response to your original letter and should be addressed to: Sally Brook Shanahan, Director of Corporate Affairs, King's Mill Hospital, Mansfield Road, Sutton in Ashfield, Nottinghamshire, NG17 4JL or email sally.brookshanahan@nhs.net.

If you are dissatisfied with the outcome of the internal review, you can apply to the Information Commissioner's Office, who will consider whether we have complied with our obligations under the Act and can require us to remedy any problems. Generally, the Information Commissioner's Office cannot decide unless you have exhausted the internal review procedure. You can find out more about how to do this, and about the Act in general, on the Information Commissioner's Office website at: https://ico.org.uk/your-data-matters/official-information/.

Complaints to the Information Commissioner's Office should be sent to FOI/EIR Complaints Resolution, Information Commissioner's Office, Wycliffe House, Water Lane, Wilmslow, Cheshire, SK9 5AF. Telephone 0303 1231113, email casework@ico.org.uk.

If you would like this letter or information in an alternative format, for example large print or easy read, or if you need help with communicating with us, for example because you use British Sign Language, please let us know. You can call us on 01623 672232 or email sfh-tr.foi.requests@nhs.net.

Yours faithfully

Information Governance Team

All information we have provided is subject to the provisions of the Re-use of Public Sector Information Regulations 2015. Accordingly, if the information has been made available for reuse under the Open Government Licence (OGL) a request to re-use is not required, but the licence conditions must be met. You must not re-use any previously unreleased information without having the consent from Sherwood Forest Hospitals NHS Foundation Trust. Should you wish to re-use previously unreleased information then you must make your request in writing. All requests for re-use will be responded to within 20 working days of receipt.

4





